

FOR PROVEN PERFORMANCE AND BEAUTY.

OWENS CORNING ROOFING SHINGLE COLOR SAMPLE BOOK





MORE THAN JUST A ROOF™ IT'S PROTECTION FOR YOUR HOME.

Your home is the center of your world—where your memories are made. And we see it as our job to make the world a better place. So, Owens Corning is relentless about reimagining and creating materials that help protect your biggest investment, your home.

When you choose Owens Corning® roofing products, you get products and systems that deliver a material difference — a difference that can be seen in the curb appeal of your roof and experienced through premium performance, protecting your home and family.

Our commitment to quality offers you peace of mind that your new roof will stand the test of time. At Owens Corning, we know that your roof does more than just cover your house — it helps protect your future memories.

SHINGLE COMPOSITION WITH KEY FEATURES





ALGAE RESISTANCE To Resist Roof Discoloration From Algae Growth



SUPER SEALANT Max 180 KM/H Wind Performance



 $\textbf{FIBERGLASS MAT} \quad \text{OC's Fiberglas} \\ \textbf{@ Class A UL Fire Rating}$


























NO.1 SHINGLE BRAND













ARMORTAB SUPER

















CLASSIC° SUPER










OAK EURO° W










Also available with Oak Euro W® Plus Shingle.





OWENS CORNING BM (KOREA), LTD

5TH FLOOR, 520, TEHERAN-RO, GANGNAM-GU, SEOUL, REPUBLIC OF KOREA 06181 TEL 822.2050.7490 FAX 822.2050.7499 www.owenscorning.co.kr

© 1996–2020 Owens Corning. The color PINK is a registered trademark of Owens Corning. THE PINK PANTHER™ & © 1964–2020 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. Publication No. 655722056. Printed in Seoul, Korea. NOV, 2020.

🛡 This product sample color book is made by Hyesungwon, helping people with special needs and disabilities live better lives.

*See actual warranty for complete details, limitations and requirements.

**See actual warranty for complete details, limitations and requirements.

**110 MPH is standard with 4-nail application in accordance with installation instructions. 110 MPH is applicable only with 6-nail application in accordance with installation instructions for Armortab Super.

**2016 Roofing Home owner Brand Awareness Survey by Owens Corning Roofing and Asphalt, LLC.

This image depicts SUPER sealant technology may vary on a shingle-to-shingle basis. Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display of several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for sample of colors available in your area.